Prosecutor - Pan Tilt Control Head

General Specifications:

This Control Head is fully compatible with the entire line of Prosecutor Mobile Video Systems and uses the Prosecutor standard connectorization and visor mounting. It includes a larger size 5.6" TFT LCD monitor that is retractable and still viewable. For best viewing the monitor can be tilted down to any angle and panned right to left a full 350 Degrees. This allows viewing from the driver or passenger side and

even to the front of the vehicle for DUI stops or video monitoring of interviews or playback viewing outside the vehicle.

- Full Stereo with Dual Speakers
- Interface to Lights, Siren, Brakes, Turn Signals and Ignition
- Backseat Camera Select Switch
- Zoom / Focus Camera Function
- Fits all Prosecutor Visor Mounting Brackets
- Hi Resolution 5.6" Color TFT LCD Monitor
- Monitor can be tilted down to any angle
- Monitor panned right to left a full 350 degrees
- Durable Backlight Membrane switches
- IR Control
- Both LCD Monitor and Backlight can be turned OFF for "covert" operation
- Separate Audio L/R volume control
- LCD & Keypad Brightness control
- LED output indicating both audio and recording are active
- Constructed with 18-gauge steel. Dimension 270mm x 155mm x 58mm
- Fastener Type connections for Camera, Vault Control and Trigger Interface
- Hidden wiring connection inside the Control Head
- Controls Zoom In & Out Focus Near & Far, Stop, Record, Play, Fast Forward, Rewind & Power
- Warnings displayed via membrane switch backlight, Audio on, Low Media, Out Media & Record





Prosecutor - Pan Tilt Control Head

Features:



Left Side View

Front Side View

Key Pad

Indicating Light

Right Side View

Key Pad

Control

Recorder Play

Recorder Record Power ON/ OFF

Recorder FF

Cont	rol	He	ad
New	Fea	atu	res

- 1. Backseat Select Switch
- 2. Covert Mode ON/ OFF and Volume Left Control
- 3. LCD Brightness Control
- 4. Durable Membrane Keypad
- 5. IR Control
- 6. Keypad Brightness Control
- 7. Volume Right Control
- 8. Tilt tension control
- 9. LCD Monitor

Camera Zoom In
Camera Zoom Out
Camera Focus Near
Camera Focus Far
Recorder Stop
Recorder REW

Note: For Tilt tension control use a \ominus 5x75mm screw driver, Included. Clockwise to tighten Anti-clockwise to loosen.

Prosecutor - Pan Tilt Control Head

Features: Wiring Cover Removable and Installation.



1. Push the latch to lift up to release or down to lock the LCD Monitor.



2. Remove all 4X - M3 Countersunk Phillip Head Screws using a proper screw driver.



3. Slide out the wiring cover as shown above.



4. All connectors are show in the order as above. The A/V is normally blind with hole plug.



Rear Side View



General Wiring Installation Layout